


## Technical Data Hall 1.1

length	98 m
width	62 m
gross area m <sup>2</sup>	6.058 m <sup>2</sup>
clearance height	6,00 m
utility floor on a solid base	yes
solid floor with cable ducts	no
maximum permissible surface load	10 kN/m <sup>2</sup>
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	yes
daylight from window	two sided
number of gates	4
entrance dimensions (width x height)	4,85 m x 5,30 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no


# HALLDATA



## Technical Data Hall 2.1

length	98 m
width	62 m
gross area m <sup>2</sup>	6.058 m <sup>2</sup>
clearance height	6,00 m
utility floor on a solid base	yes
solid floor with cable ducts	no
maximum permissible surface load	10 kN/m <sup>2</sup>
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	yes
daylight from window	(1)
number of gates	4
entrance dimensions (width x height)	4,85 m x 5,30 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no


# HALLDATA



## Technical Data Hall 3.1

length	98 m
width	62 m
gross area m <sup>2</sup>	6.058 m <sup>2</sup>
clearance height	6,00 m
utility floor on a solid base	yes
solid floor with cable ducts	no
maximum permissible surface load	10 kN/m <sup>2</sup>
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	yes
daylight from window	(1)
number of gates	4
entrance dimensions (width x height)	4,85 m x 5,30 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no

# HALLDATA



## Technical Data Hall 4.1

length	98 m
width	62 m
gross area m <sup>2</sup>	6.058 m <sup>2</sup>
clearance height	6,00 m
utility floor on a solid base	yes
solid floor with cable ducts	no
maximum permissible surface load	10 kN/m <sup>2</sup>
fork lift and truck with wheel load	3,5 t
available intermediate ceiling	no
suspension points max. load 2 kN/pt.	yes
daylight from window	(1)
number of gates	4
entrance dimensions (width x height)	4,85 m x 5,30 m
gas connection possible	yes
cooling	yes
water connection up to 50 mm	yes
water drainage up to 100 mm	yes
firefighting system	sprinkler system
supports	yes
freight elevators	no

# HALLDATA